

OCL(CGU)/ENV/BMW-32/2019-20/ 151

Date: 02.01.2020

The Sub-Regional Officer-1,

Maharashtra Pollution Control Board,

B.J. Market, Hall No. A, 3rd Floor,

Jalgaon (MS)- 425 001

Sub: Submission of Bio-medical waste Annual Return in Form- IV for the Calendar Year 2019.

Dear Sir,

With reference to the above subject, we are submitting herewith the annual return of Bio-medical waste generated from Occupational Health Centre at our Clinker Grinding Unit located at NH-6, PO. Nashirabad, Taluka and Distt. Jalgaon (MS) for the calendar year 2019 Filled **Form- IV** as per Bio-medical Waste Rules, 2016/2018 is attached herewith.

Submitted for your kind information and record please

Thanking you

Yours Faithfully,
For ORIENT CEMENT LIMITED (CGU)



M.P. JOSHI
Vice President

Encl : As above

Copy to:

1. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 2nd – 4th Floor, Opp: Cine Planet Cinema, Near Sion Circle, Sion East, Mumbai – 400 022
2. The Regional Officer, Maharashtra Pollution Control Board, 1st floor, Udyog Bhavan, Near ITI, Satpur MIDC, Nashik. (MS).

Orient Cement Limited

Clinker Grinding Unit: At N.H. 6, Nashirabad, Dist. Jalgaon -425309.

0257 - 2356289/383, Email : cgu.edp@orientcement.com

Registered Office: Unit VIII, Plot No.7, Bhoinagar, Bhubaneswar, Odisha 751012, India www.orientcement.com

CIN No : L26940OR2011PLC013933

Form-IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S.N.	Particulars	
	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	: Shri M.P. Joshi Vice President
	(ii) Name of HCF or CBMWTF	: Orient Cement Ltd.
	(iii) Address for Correspondence	: At NH-6, PO. Nashirabad, Taluka & Distt. Jalgaon (MS)
	(iv) Address of Facility	: As above
	(v) Tel. No.Fax No.	: 0257-2356289
	(vi) E-mail ID	: ehs.cgu@orientcement.com
1.	(vii) URL of Website	: www.orientcement.com
	(viii) GPS coordinates of HCF or CBMWTF	: Lat. 21°1'12.55" N Long. 75°41'7.82" E
	(ix) Ownership of HCF or CBMWTF	: Private
	(x) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	: Authorization No.: SRO-JALGAON/BMW_AUTH/1908000286-2019 Dated 19.08.2019 valid up to 16.08.2022
	(xi) Status of Consents under Water Act and Air Act	: Valid up to: 31.10.2021
	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds : Nil
2.	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: Occupational Health Centre (Dispensary) having first aid facility only.
	(iii) License number and its date of expiry	: -
	Details of CBMWTF	: NA
	(i) Number health care facilities covered by CBMWTF	: NA
3.	(ii) No of beds covered by CBMWTF	: NA
	(iii) Installed treatment and disposal capacity of CBMWTF:	: 0 Kg / day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	: 0 Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: Yellow Category: 4.045 Red Category: 1.364 White: Nil Blue Category: 0.044 General Solid waste: - Nil
5.	Details of the Storage, treatment, transportation, processing and Disposal	: Biomedical waste as mentioned in Sr. No. 4 is sent to M/s Mansai Biomedical Waste Enterprises Pvt. Ltd.

	Facility	For treatment and final disposal				
	(i) Details of the on-site storage facility	:	Size : Only BMW collection bins provided with color coding			
		:	Capacity: 15 Ltr. By volume			
		:	Provision of on-site storage :(cold storage or any other provision: NA			
	Disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg per annum
		:	Annum Incinerators - Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer Sharps Encapsulation or Concrete pit Deep burial pits: Chemical Disinfection: Any other treatment equipment:	Not Applicable		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Total quantity of BMW as mentioned in Sr. No. 4 is sent to M/s Mansai Biomedical Waste Enterprises Pvt. Ltd. For treatment and final disposal			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	NA (Vehicle sent by M/s Mansai Biomedical Waste Enterprises Pvt. Ltd for collection)			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Incineration Ash ETP Sludge	Quantity Generated NA NA NA	Where disposed NA NA NA	
	(vi)Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Mansai Biomedical Waste Enterprises Pvt. Ltd., Jalgaon			
	(vii) List of member HCF not handed over bio-medical waste	:	NA			
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	NA			
7.	Details trainings conducted on BMW	:				
	(i) Number of trainings conducted on BMW	:	01			

	Management.		
	(ii) number of personnel trained		4
	(iii) number of personnel trained at the time of induction	:	4
	(iv) number of personnel not undergone any training so far	:	-
	(v) any other information	:	
	Details of the accident occurred during the year	:	NA
8.	(i) Number of Accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	Nil
	(iv) Any Fatality occurred, details.	:	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed	:	NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	NA
12	Any other relevant information	:	(Air pollution Control Devices attached with the Incinerator) NA

Certified that the above report is for the period from **01.01.2019 to 31.12.2019.**

Date: 02.01.2020
Place: Nashirabad


M.P. JOSHI
Vice President